

Commercial Line







✓ Any Surface





Specially designed for public & commercial pools





Technical Details

	Aquarius	Magnum	Ultramax
Cable Length	23m,	36m,	45m,
	Electrical swivel	Anti-tangle handle	Anti-tangle handle
Recommended	Small	Mid-sized	Large-sized and Olympic
Pool Type	Commercial Pools	Commercial Pools	Pools
Recommended Pool Size	< 110m²/ 15m	< 300m²/ 25m	< 1250m ² / 50m
Cycle Duration	3h – Floor Only	3h – Floor Only	3h, 4h, 6h Floor Only
	4h – Floor, Wall &	4h – Floor, Wall &	
	Waterline	Waterline	
	5h – Floor, Wall &	5h – Floor, Wall &	
	Waterline	Waterline	
Brush Type	4 PVA Brushes	4 PVA Brushes	4 Wide PVA Brushes
Suction Power	19 m³/h	19 m³/h	38 m³/h
Filter Type	4D Hyperfine Microfiber,	4D Hyperfine Microfiber,	4D Hyperfine Microfiber,
	1 XL Bag	1 XL Bag	2 XL Bag
Filter Access	Easy Clip	Easy Clip	Easy Latch
	Bottom Access	Bottom Access	Bottom Access
Drive System	Dual Drive Motors,	Dual Drive Motors,	Dual Drive Motors,
	Single pump	Single pump	Dual pumps
Navigation	AquaSmart + Gyroscope	AquaSmart + Gyroscope	AquaSmart + Gyroscope + InfraRed sensor
Consumption	230V / 180W	230V / 180W	230V / 180W
Filter Full	Yes	Yes	No
Indicator			
External Timer	Yes	Yes	No
Capability (Wi-Fi)			
Delay Time	2h	2h	2h, 3h, 4h, & 5h
Remote Control	Yes	Yes	Yes
Transport	Trolley	Trolley	Trolley
Dimensions (cm)	42 (W) x 39 (D) x 27 (H)	52 (W) x 39 (D) x 26 (H)	81 (W) x 40 (D) x 29 (H)







Contact us for more info!

- \odot 13 Third Chin Bee Road
- ⊗ +65 6266 2550
- ₩ +65 6266 4414
- \boxtimes esales@epoolconnect.com
- \oplus www.epoolconnect.com

